



**JACKET**  
KNITTED IN FLAIR  
CHUNKY  
81-127cm  
32-50in



COMPLIMENTARY  
PATTERN

# LADIES' JACKET

## KNITTED IN FLAIR CHUNKY

### TENSION

17 sts and 22 rows to 10 cm, 4 in, over pattern on 6 mm needles or the size required to give the correct tension. Check your tension – if less stitches use thinner needles, if more use thicker needles.

It is essential to work to the stated tension to ensure the correct size of garment.

### ABBREVIATIONS

alt	alternate
beg	beginning
cm	centimetre(s)
cont	continue
dec	decrease(ing)
foll	following
g	grammes
in	inch(es)

k knit

mm millimetre(s)

p purl

patt pattern

rem remain(ing)

rep repeat

rs right side

st(s) stitch(es)

tbl through back of loop

tog together

ws wrong side

ybk yarn back

yfwd yarn forward

C10F slip next 5 sts to front on cable needle,

k5, then k5 from cable needle

Circle the size you wish to make.

### JACKET

#### BACK

Using 6 mm needles and thumb method, cast on 87[95:105:113:121] sts loosely.

**1st row.** K3, p1[2:1:2:0], \* k1, p2, rep from \* to last 5[3:5:3:4] sts, k1[3:1:3:4], p1[0:1:0:0], k3[0:3:0:0].

**2nd row.** K4[3:4:3:3], (yfwd, s1p, ybk) 1[0:1:0:1] times, \* k2, yfwd, s1p, ybk, rep from \* to last 4[5:4:5:3] sts, k4[5:4:5:3].

These 2 rows form patt with g-st edge. Work 32 rows more as set.

**1st row (rs).** P1[2:1:2:3], \* k1, p2, rep from \* to last 2[0:2:0:4] sts, k1[0:1:0:1], p1[0:1:0:3].

**2nd row.** K1[0:1:0:3], (yfwd, s1p, ybk) 1[0:1:0:1] times, \* k2, ybk, s1p, yfwd, rep from \* to last 1[2:1:2:3] sts, k1[2:1:2:3].

These 2 rows form patt.

Cont in patt until back measures 37[39:41:43:45] cm, 14½[15½:16:17:17¾] in, ending with a ws row.

Work 66 rows more.

#### Shape Shoulders

Work 8 rows dec 1 st at each end of 1st and foll 4th row.

83[91:101:109:117] sts.

Work 6 rows dec 1 st at each end of 1st and every foll alt row.

77[85:95:103:111] sts.

Work 2 rows dec 1 st at each end of every row.

73[81:91:99:107] sts.

Cast off 8[9:11:11:13] sts in patt at beg of next 2 rows.

57[63:69:77:81] sts.

Cast off 8[9:11:12:13] sts in patt at beg of next 2 rows.

41[45:47:53:55] sts.

Cast off 8[10:11:12:13] sts in patt at beg of next 2 rows.

25[25:25:29:29] sts.

Cast off rem 25[25:25:29:29] sts in patt.

#### LEFT POCKET LINING

Using 6 mm needles and thumb method, cast on 23 sts loosely.

**1st row (rs).** P1, \* k1, p2, rep from \* to last st, p1.

**2nd row.** K1, \* k2, yfwd, s1p, ybk, rep from \* to last st, k1.

These 2 rows form patt.

Cont in patt until pocket lining measures 18 cm, 7 in, ending with a rs row.

Leave these 23 sts on a holder.

#### RIGHT POCKET LINING

Using 6 mm needles and thumb method, cast on 23 sts loosely.

**1st row (rs).** P3, \* k1, p2, rep from \* to last 2 sts, k1, p1.

**2nd row.** K1, yfwd, s1p, ybk, \* k2, yfwd, s1p, ybk, rep from \* to last 3 sts, k3.

These 2 rows form patt.

Cont in patt until pocket lining measures 18 cm, 7 in, ending with a rs row. Leave these 23 sts on a holder.

#### LEFT FRONT

Using 6 mm needles and thumb method, cast on 50[54:59:63:67] sts loosely.

**1st row.** K3, p1[2:1:2:0], \* k1, p2, rep from \* to last 22 sts, k10, p1, (p1, k1) 5 times, k1.

**2nd row.** K1, (yfwd, s1p, ybk, k1) 5 times, k1, p10, \* k2, yfwd, s1p, ybk, rep from \* to last 4[5:4:5:3] sts, k4[5:4:5:3].

Rep 1st and 2nd rows once more.

**5th row.** K3, p1[2:1:2:0], \* k1, p2, rep from \* to last 22 sts, C10F, p1, (p1, k1) 5 times, k1.

**6th row.** As 2nd row.

Rep 1st and 2nd rows 4 times more.

These 14 rows form patt and g-st edge. Work 20 rows more as set.

Keeping 22 sts at front edge in 14 row patt rep as set, proceed as follows:

**1st row (rs).** P1[2:1:2:3], \* k1, p2, rep from \* to last 22 sts, patt 22.

**2nd row.** Patt 22, \* k2, yfwd, s1p, ybk, rep from \* to last 1[2:1:2:3] sts, k1[2:1:2:3].

These 2 rows form patt.

Cont in patt until left front measures 24 cm, 9½ in, ending with a ws row.

#### Place Pocket

**Next row.** Patt 3[7:12:16:20], cast off next 23 sts in patt, patt to end.

**Next row.** Patt 24, with ws facing patt across 23 sts from left pocket lining holder, patt to end.

Cont in patt until left front

measures 37[39:41:43:45] cm, 14½[15½:16:17:17¾] in, ending with a ws row.

#### Shape Front Slope

**Next row.** Patt to last 26 sts, p2tog, patt 24.

49[53:58:62:66] sts.

Work 65[65:65:19:19] rows dec 1

st at front slope edge in every foll

6th[6th:6th:4th:4th] row.

39[43:48:58:61] sts.

#### For 4th and 5th sizes only

Work 46 rows dec 1 st at front slope edge in 1st and every foll 6th row. [50:54] sts.

#### For all sizes

#### Shape Shoulder

Work 8 rows dec 1 st at shoulder edge in 1st and foll 4th row **AT THE SAME TIME** dec 1 st at front slope edge in 1st[1st:1st:3rd:3rd] row.

36[40:45:47:51] sts.

Work 6 rows dec 1 st at shoulder edge in 1st and every foll alt row **AT THE SAME TIME** dec 1 st at front slope edge in 1st row.

32[36:41:43:47] sts.

Work 2 rows dec 1 st at shoulder edge in every row.

30[34:39:41:45] sts.

**Next row.** Cast off 8[9:11:11:13] sts in patt, patt to end.

22[25:28:30:32] sts.

#### Next row.

#### Patt.

**Next row.** Cast off 8[9:11:12:13] sts in patt, patt to end.

14[16:17:18:19] sts.

#### Next row.

#### Patt.

**Next row.** Cast off 8[10:11:12:13] sts in patt, patt to end. 6 sts.

Leave rem 6 sts on a holder.

#### RIGHT FRONT

Using 6 mm needles and thumb method, cast on 50[54:59:63:67] sts loosely.

**1st row.** K2, (p1, k1) 4 times, p2, k10, p2, \* k1, p2, rep from \* to last 5[3:5:3:4] sts, k1[3:1:3:4], p1[0:1:0:0], k3[0:3:0:0].

**2nd row.** K4[3:4:3:3], (yfwd, s1p, ybk) 1[0:1:0:1] times, \* k2, yfwd, s1p, ybk, rep from \* to last 24 sts, k2, p10, k1, (k1, yfwd, s1p, ybk) 5 times, k1.

Rep 1st and 2nd rows once more.

**5th row.** K2, (p1, k1) 4 times, p2, C10F, p2, \* k1, p2, rep from \* to last 5[3:5:3:4] sts, k1[3:1:3:4], p1[0:1:0:0], k3[0:3:0:0].

#### 6th row.

#### As 2nd row.

Rep 1st and 2nd rows 4 times more.

These 14 rows form patt and g-st edge. Work 20 rows more as set.

Keeping 22 sts at front edge in 14 row patt rep as set, proceed as follows:

**1st row (rs).** Patt 22, p2, \* k1, p2, rep from \* to last 2[0:2:0:4] sts, k1[0:1:0:1],

p1[0:1:0:3].

**2nd row.** K1[0:1:0:3], (ybk, s1p, yfwd) 1[0:1:0:1] times, \* k2, ybk, s1p, yfwd, rep from \* to last 24 sts, k2, patt 22.

These 2 rows form **patt**.

Cont in patt until right front measures 24 cm, 9½ in, ending with a ws row.

#### Place Pocket

**Next row.** Patt 24, cast off next 23 sts in patt, patt to end.

Next row. Patt 3[7:12:16:20], with ws facing patt across 23 sts from right pocket lining holder, patt to end.

Cont in patt until right front measures 37[39:41:43:45] cm, 14½[15½:16:17:17½] in, ending with a ws row.

#### Shape Front Slope

**Next row.** Patt 24, p2tog tbl, patt to end. 49[53:58:62:66] sts.

Work 65[65:65:19:19] rows dec 1 st at front slope edge in every foll 6th[6th:6th:4th:4th] row.

39[43:48:58:61] sts.

#### For 4th and 5th sizes only

Work 46 rows dec 1 st at front slope edge in 1st and every foll 6th row.

[50:54] sts.

#### For all sizes

#### Shape Shoulder

Work 8 rows dec 1 st at front slope edge in 1st[1st:1st:3rd:3rd] row **AT THE SAME TIME** dec 1 st at shoulder edge in 1st and foll 4th row.

36[40:45:47:51] sts.

Work 6 rows dec 1 st at front slope edge in 1st row **AT THE SAME TIME** dec 1 st at shoulder edge in 1st and every foll alt row.

32[36:41:43:47] sts.

Work 2 rows dec 1 st at shoulder edge in every row.

30[34:39:41:45] sts.

Work 1 row more.

Next row. Cast off 8[9:11:11:13] sts in patt, patt to end.

22[25:28:30:32] sts.

#### Next row. Patt.

**Next row.** Cast off 8[9:11:12:13] sts in patt, patt to end.

14[16:17:18:19] sts.

#### Next row. Patt.

**Next row.** Cast off 8[10:11:12:13] sts in patt, patt to end. 6 sts.

Leave rem 6 sts on a holder.

#### SLEEVES (Both alike)

Using 6 mm needles and thumb method, cast on 35[37:37:39:41] sts loosely.

**1st row (rs).** P2[3:3:1:2], \* k1, p2, rep from \* to last 0[1:1:2:0] sts, p0[1:1:2:0].

**2nd row.** K0[1:1:1:0], (yfwd, s1p, ybk) 0[0:0:1:0] times, \* k2, yfwd, s1p, ybk, rep from \* to last 2[3:3:1:2] sts, k2[3:3:1:2].

These 2 rows form **patt**.

Cont in patt, inc 1 st at each end of 3rd and every foll 6th[4th:4th:4th:4th] row to 47[43:61:67:69] sts, working inc sts in patt.

Inc 1 st at each end of every foll 8th[6th:6th:6th:6th] row to 61[69:75:79:81] sts.

Cont without shaping until sleeve measures 45[45:46:47:47] cm, 17¾[17¾:18:18½:18½] in, ending with a ws row.

#### Shape Top

Cast off 3[4:4:5:5] sts in patt at beg of next 4[10:4:14:12] rows.

49[29:59:9:21] sts.

#### For 1st, 2nd, 3rd and 5th sizes only

Cast off 4[5:5:6] sts in patt at beg of next 10[4:10:2] rows. 9 sts.

#### For all sizes

Cast off rem 9 sts in patt.

#### NECKBAND

Join shoulder seams.

#### Left Section

Using 6 mm needles, cast on 1 st (for sewing), then with rs facing, using same needle, patt across 6 sts from left front holder. 7 sts.

\*\*Cont in rib until neckband reaches across back neck to centre, ending with a ws row. Cast off in patt.

#### Right Section

Using 6 mm needles, cast on 1 st (for sewing), then with ws facing, using same needle, patt across 6 sts from left front holder. 7 sts.

Work as given for Left Section from \*\*.

#### TO MAKE UP

Join cast-off edges of neckband and placing seam to centre of back neck slip stitch into place. Fold sleeves in half lengthways and placing folds to shoulder seams sew sleeves in position 25[26:27:28:29] cm, 9¾[10¾:10¾:11:11½] in, from shoulder seams. Join sleeve and side seams to top of g-st edges. Slip stitch pocket linings to inside. Pin out jacket to the measurements given. Cover with clean, damp tea towels and leave to dry. See ball band for washing and further care instructions.

Rep 1st and 2nd rows 4 times more.

These 14 rows form patt and g-st edge.

#### NEEDLES

1 pair of 6 mm (UK4 – USA 10)

knitting needles

Cable Needle

Stitch Holders

#### NOTES

The yarn amounts stated are based on average requirements and are therefore approximate.

Where only one figure is given this applies to all sizes.

Where the figure 0 appears, no sts, times or rows are worked for this size.

After casting off one stitch will remain on the right hand needle which is not included in the instructions that follow.

#### IMPORTANT

To ensure accuracy only KING COLE YARNS should be used. No responsibility will be taken for the result of using any other yarns.

#### MEASUREMENTS

To Fit Bust	81- 86 cm 32-34 in	91- 97 cm 36-38 in	102- 107cm 40-42 in	112-117 cm 44-46 in	122-127 cm 48-50 in
Actual Measurement	102 cm 40 in	112 cm 44 in	123 cm 48½ in	133 cm 52½ in	142 cm 56 in
Length (Jacket)	77 cm 30¼ in	79 cm 31¼ in	81 cm 32 in	83 cm 32¾ in	85 cm 33½ in
Length (Cardigan)	61 cm 24 in	64 cm 25¼ in	69 cm 27¼ in	74 cm 29¼ in	79 cm 31¼ in
Sleeve Length (adjustable)	45 cm 17¾ in	45 cm 17¾ in	46 cm 18 in	47 cm 18½ in	47 cm 18½ in

#### MATERIALS REQUIRED

Jacket						
King Cole Flair Chunky (320m per ball)						
Rumba 6536 (FRONT)	100g balls	4	5	5	6	6
OR						
Viennese Waltz 6533 (BACK)	100g balls	4	5	5	6	6

SKU: PKAL1014

© Copyright King Cole Ltd 2025

Website: [kingcole.com](http://kingcole.com)



Merrie Mills, Union Business Park, Keighley Road,

Skipton BD23 2QR

Email: [enquiries@kingcole.com](mailto:enquiries@kingcole.com)



# JACKET KNITTED IN FLAIR CHUNKY

81-127cm  
32-50in



01756 703 670

[kingcole.com](http://kingcole.com)

[enquiries@kingcole.com](mailto:enquiries@kingcole.com)

KNIT • FOLLOW • SHARE

